



MATE-N-LOK | Mini-Universal MATE-N-LOK

TE Internal #: 174670-1
Mini-Universal MATE-N-LOK, Rectangular Connector Keying Plugs,
Keying Plug, Operating Temperature Range -55 – 105 °C [-67 – 221 °
F]

[View on TE.com >](#)

Connectors > Rectangular Connectors > Rectangular Connector Accessories > Rectangular Connector Keying Plugs



Connector Keying Accessory Type: **Keying Plug**
Operating Temperature Range: -55 – 105 °C [-67 – 221 °F]

Features

Product Type Features

Product Type	Accessory
Connector Keying Accessory Type	Keying Plug

Body Features

Color	Natural
-------	---------

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Bag
Packaging Quantity	1000

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant




China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JAN 2020 (205) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Model / Part # 794058-3 MINI UMNL SOK L/P	 TE Model / Part # 1-770988-1 MINI UMNL SOK 22-18AWG LP LF	 TE Model / Part # 1-794059-0 MINI UMNL PIN L/P LF	 TE Model / Part # 1-770987-0 MINI UMNL PIN 22-18 AWG AU LP
 TE Model / Part # 770986-1 MINI UMNL SOK 26-22AWG SN LP	 TE Model / Part # 1-770985-0 MINI UMNL PIN 26-22AWG AU LP	 TE Model / Part # 1-770986-0 MINI UMNL SOK 26-22AWG AU LP	 TE Model / Part # 1-794058-0 MINI UMNL SOK L/P LF



TE Model / Part # 1-770988-0
MINI UMNL SOK 22-18AWG AU



TE Model / Part # 794059-3
MINI UMNL PIN L/P

Also in the Series | Mini-Universal MATE-N-LOK



Connector Contacts(11)



Power Contacts(85)



Rectangular Backshells & Clamps(2)



Rectangular Boots & Strain Relief(2)




Rectangular Connector Keying Plugs(2)



Rectangular Connector Seals(18)



Rectangular Power Connectors(284)



Wire-to-Board Headers & Receptacles (1)

Customers Also Bought




TE Model / Part #770587-1
24P MINI UMNL PLUG HSG



TE Model / Part #770586-1
22P MINI UMNL PLUG HSG



TE Model / Part #770582-1
14P MINI UMNL PLUG HSG



TE Model / Part #5-104505-2
MTE PIN 22-26 AWG PLTD



TE Model / Part #1-770901-0
MINI UMNL PIN 26-22 AWG AU LF



TE Model / Part #1586359-4
04P MINIUMNL GANG WIRE SEAL DR



TE Model / Part #350570-7
UMNL SOK 24-18 AUBR



TE Model / Part #1-770902-0
MINI UMNL SOK 26-22 AWG AU



TE Model / Part #745229-2
20 DF PIN PLTD 30 SEL



TE Model / Part #1-1586359-0
10P MINIMUMNL GANG WIRE SEAL DR

Documents

Product Drawings

KEYING PLUG MINI U-M-N-L

Japanese

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_174670-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_174670-1_A.3d_stp.zip

English

Customer View Model

ENG_CVM_174670-1_A.2d_dxf.zip

English

3D PDF

English

Customer View Model

ENG_CVM_CVM_174670-1_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_174670-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_174670-1_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

SOFT_SHELL_PIN_AND_SOCKET_CONNECTORS_CATALOG

English

Product Environmental Compliance

MD_174670-1_060520181158_dmtec

English



[MD_174670-1_060520181158_dmtec](#)

English