


Toroids (Ring Cores)

Overview

B64290



FUS0017-P


Overview of available sizes

Type Toroid size ($d_a \times d_i \times h$) mm	inch	Chamfer	Type code (ordering code, block 2)	Page
R 2,50 × 1,50 × 1,00	R 0,098 × 0,059 × 0,039		-P35	534
R 2,54 × 1,27 × 1,27	R 0,100 × 0,050 × 0,050		-P734	534
R 3,05 × 1,27 × 1,27	R 0,120 × 0,050 × 0,050		-P683	535
R 3,05 × 1,27 × 2,54	R 0,120 × 0,050 × 0,100		-P739	535
R 3,05 × 1,78 × 2,03	R 0,120 × 0,070 × 0,080		-P733	536
R 3,43 × 1,78 × 1,78	R 0,135 × 0,070 × 0,070		-P731	536
R 3,43 × 1,78 × 2,03	R 0,135 × 0,070 × 0,080		-P745	537
R 3,43 × 1,78 × 2,11	R 0,135 × 0,070 × 0,083		-P709	537
R 3,94 × 1,78 × 1,78	R 0,155 × 0,070 × 0,070		-P732	538
R 3,94 × 2,24 × 1,30	R 0,155 × 0,088 × 0,051		-P61	538
R 4,00 × 2,40 × 1,60	R 0,157 × 0,094 × 0,063		-P36	539
R 5,84 × 3,05 × 3,00	R 0,230 × 0,120 × 0,118		-P687	539
R 6,30 × 3,80 × 2,50	R 0,248 × 0,150 × 0,098		-P37	540
R 9,53 × 4,75 × 3,17	R 0,375 × 0,187 × 0,125		-L62	540
R 10,0 × 6,00 × 4,00	R 0,394 × 0,236 × 0,157		-L38	541
R 12,5 × 7,50 × 5,00	R 0,492 × 0,295 × 0,197		-L44	541
R 12,7 × 7,90 × 6,35	R 0,500 × 0,311 × 0,250		-L742	542
R 13,3 × 8,30 × 5,00	R 0,524 × 0,327 × 0,197		-L644	542
R 14,0 × 9,00 × 5,00	R 0,551 × 0,354 × 0,197		-L658	543
R 15,0 × 10,4 × 5,30	R 0,591 × 0,409 × 0,209		-L623	543
R 15,8 × 8,90 × 4,70	R 0,622 × 0,350 × 0,185		-L743	544
R 16,0 × 9,60 × 6,30	R 0,630 × 0,378 × 0,248		-L45	544
R 17,0 × 10,7 × 6,80	R 0,669 × 0,421 × 0,268		-L652	545
R 18,4 × 5,90 × 5,90	R 0,724 × 0,232 × 0,232		-L697	545

Toroids (Ring Cores)

Overview

B64290



FUS0017-P

Overview of available sizes (continued)

Type Toroid size ($d_a \times d_i \times h$) mm		Chamfer	Type code (ordering code, block 2)	Page
	inch			
R 20,0 × 10,0 × 7,00	R 0,787 × 0,394 × 0,276		-L632	546
R 22,1 × 13,7 × 6,35	R 0,870 × 0,539 × 0,250		-L638	546
R 22,1 × 13,7 × 7,90	R 0,870 × 0,539 × 0,311		-L719	547
R 22,1 × 13,7 × 12,5	R 0,870 × 0,539 × 0,492		-L651	547
R 22,6 × 14,7 × 9,20	R 0,890 × 0,579 × 0,362		-L626	548
R 25,3 × 14,8 × 10,0	R 0,996 × 0,583 × 0,394		-L618	548
R 25,3 × 14,8 × 20,0	R 0,996 × 0,583 × 0,787		-L616	549
R 29,5 × 19,0 × 14,9	R 1,142 × 0,748 × 0,587	×	-L647	549
R 30,5 × 20,0 × 12,5	R 1,201 × 0,787 × 0,492	×	-L657	550
R 34,0 × 20,5 × 10,0	R 1,339 × 0,807 × 0,394	×	-L58	550
R 34,0 × 20,5 × 12,5	R 1,339 × 0,807 × 0,492	×	-L48	551
R 36,0 × 23,0 × 15,0	R 1,417 × 0,906 × 0,591	×	-L674	551
R 38,1 × 19,05 × 12,7	R 1,500 × 0,750 × 0,500	×	-L668	552
R 40,0 × 24,0 × 16,0	R 1,575 × 0,945 × 0,630	×	-L659	552
R 41,8 × 26,2 × 12,5	R 1,646 × 1,031 × 0,492	×	-L22	553
R 50,0 × 30,0 × 20,0	R 1,969 × 1,181 × 0,787	×	-L82	553
R 58,3 × 40,8 × 17,6	R 2,283 × 1,606 × 0,693	×	-L40	554
R 63,0 × 38,0 × 25,0	R 2,480 × 1,496 × 0,984	×	-L699	554
R 68,0 × 48,0 × 13,0	R 2,677 × 1,890 × 0,512		-L696	555
R 87,0 × 54,3 × 13,5	R 3,425 × 2,138 × 0,531	×	-L730	555
R 102 × 65,8 × 15,0	R 4,016 × 2,591 × 0,591		-L84	556
R 140 × 103 × 25,0	R 5,512 × 4,055 × 0,984		-A705	556
R 202 × 153 × 25,0	R 7,953 × 6,024 × 0,984		-A711	557

Herausgegeben von EPCOS AG

Marketing Kommunikation, Postfach 80 17 09, 81617 München, DEUTSCHLAND

© EPCOS AG 2000. Alle Rechte vorbehalten. Vervielfältigung, Veröffentlichung, Verbreitung und Verwertung dieser Broschüre und ihres Inhalts ohne ausdrückliche Genehmigung der EPCOS AG nicht gestattet.

Mit den Angaben in dieser Broschüre werden die Bauelemente spezifiziert, keine Eigenschaften zugesichert. Bestellungen unterliegen den vom ZVEI empfohlenen Allgemeinen Lieferbedingungen für Erzeugnisse und Leistungen der Elektroindustrie, soweit nichts anderes vereinbart wird.

Diese Broschüre ersetzt die vorige Ausgabe.

Fragen über Technik, Preise und Liefermöglichkeiten richten Sie bitte an den Ihnen nächstgelegenen Vertrieb der EPCOS AG oder an unsere Vertriebsgesellschaften im Ausland.

Bauelemente können aufgrund technischer Erfordernisse Gefahrstoffe enthalten. Auskünfte darüber bitten wir unter Angabe des betreffenden Typs ebenfalls über die zuständige Vertriebsgesellschaft einzuholen.

Published by EPCOS AG

Marketing Communications, P.O. Box 80 17 09, 81617 Munich, GERMANY

© EPCOS AG 2000. All Rights Reserved. Reproduction, publication and dissemination of this brochure and the information contained therein without EPCOS' prior express consent is prohibited.

The information contained in this brochure describes the type of component and shall not be considered as guaranteed characteristics. Purchase orders are subject to the General Conditions for the Supply of Products and Services of the Electrical and Electronics Industry recommended by the ZVEI (German Electrical and Electronic Manufacturers' Association), unless otherwise agreed.

This brochure replaces the previous edition.

For questions on technology, prices and delivery please contact the Sales Offices of EPCOS AG or the international Representatives.

Due to technical requirements components may contain dangerous substances. For information on the type in question please also contact one of our Sales Offices.