



Winstar Display Co., LTD

華凌光電股份有限公司

住址: 407 台中市中清路 163 號
No.163 Chung Ching RD.,
Taichune, Taiwan, R.O.C

WEB: <http://www.winstar.com.tw>

E-mail: winstar@winstar.com.tw

Tel:886-4-24262208 Fax : 886-4-24262207



SPECIFICATION

CUSTOMER : _____

MODULE NO.: **WICCFL2#** _____

APPROVED BY:

(FOR CUSTOMER USE ONLY)

PCB VERSION:

DATA:

SALES BY	APPROVED BY	CHECKED BY	PREPARED BY
ISSUED DATE:			



DOC. FIRST ISSUE

VERSION	DATE	REVISED PAGE NO.	SUMMARY
0	2006.02.16		First issue

1. GENERAL

This specification is applied to INV-039 as driver for CCFT.

2. INPET CHARACTERISTICS

Parameter	Symbol	Min	Nom	Max	Unit	Remark
Input Voltage	V _{in}	10.5	12.0	13.0	V	
Input Current	I _{in}	—	—	300	mA	V _{in} =12V
Input Power	P _{in}	—	3.6	—	W	V _{in} =12V

3. Output Characteristics

Parameter	Symbol	Min	Nom	Max	Unit	Remark
Output Voltage	V _o		280	—	V _{rms}	V _{in} =12.0 V
Start Voltage	V _v		750			
Tube Current	I _L	8.1	9.0	9.9	mA	V _{in} =12.0 V
Working Frequency	f	32.0	37.0	42.0	KHz	



NOTE: All conditions are at 25°C ambient unless otherwise specified.

4. General Specification

- a. Temperature operating : -10~85°C
- b. Temperature storage : -20~85°C
- C. Humidity operating : -10~95%RH
- D. Humidity storage : -20~95%RH

WICCFL2

DIMENSION



PIN ASSIGNMENT

UNIT: mm

INPUT CONNECTOR

PIN NUMBER	FUNCTION
PIN 1	VIN
PIN 2	GND

OUTPUT(CON1) CONNECTOR 2532-03

PIN NUMBER	FUNCTION
1	GND
2	NC
3	HV

The non-specified tolerance of dimension is $\pm 0.3\text{mm}$

ROHS :

WINSTAR warrants that “ Pb free products”, including (but not limited to) components, semi-finished products, finished products, raw materials and packaging materials, provided for Client shall conform to the content standard of the RoHS directive 2002/95/EC.

“The Harmful Material List” as described in table A.

Table A : The Harmful Material List

Material	(Cd)	(Pb)	(Hg)	(Cr6+)	PBBs	PBDEs
Limited Value	100 ppm	1000 ppm	1000 ppm	1000 ppm	1000 ppm	1000 ppm
Above limited value is set up according to RoHS.						