

Changeover operating mechanism for contactors 3RT105, 3RT145
AC (50...60 Hz) / DC operation, 110 ... 127 V Operating mechanism:
Standard,economy circuit Screw terminal



Figure similar

General technical data		
Product brand name	SIRIUS	
Product designation	Magnet coil	
Control circuit		
Type of voltage of the control supply voltage	AC/DC	
Control supply voltage		
• 1 at AC		
— at 50 Hz rated value		110 V
— at 60 Hz rated value		110 V
• 2 at AC		
— at 50 Hz rated value		127 V
— at 60 Hz rated value		127 V
Control supply voltage		
• 1 at DC rated value		110 V
• 2 at DC rated value		127 V
Certificates/approvals		

General Product Approval	Functional Safety/Safety of Machinery	Declaration of Conformity
--------------------------	---------------------------------------	---------------------------



CSA



UL



[Type Examination Certificate](#)



EG-Konf.

[Miscellaneous](#)

Test Certificates	Shipping Approval
-------------------	-------------------

[Special Test Certificate](#)

[Type Test Certificates/Test Report](#)



ABS



PRS



RINA



RMRS

other

[Confirmation](#)

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RT1955-5AF31>

Cax online generator


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RT1955-5AF31>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RT1955-5AF31>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RT1955-5AF31&lang=en



last modified:

02/27/2019