


TO-126 Tube Packing Data

TO-126 Tube Packing Configuration: Figure 1.0



FAIRCHILD
SEMICONDUCTOR®

Packaging Description:

TO-126 parts are shipped normally in tube. The tube is made of PVC plastic treated with anti-static agent. These tubes in standard option are placed inside a dissipative plastic bubble sheet, barcode labeled, and placed inside a box made of recyclable corrugated paper. One box contains thirty two tubes maximum (see fig. 1.0). And one or several of these boxes are placed inside a labeled shipping box which comes in different sizes depending on the number of parts shipped. The other option comes in bulk as described in the Packaging Information table. The units in this option are placed inside a small box laid with anti-static bubble sheet. These smaller boxes are individually labeled and placed inside a larger box (see fig. 3.0). These larger or intermediate boxes then will be placed finally inside a labeled shipping box which still comes in different sizes depending on the number of units shipped.


TO-126 Packaging Information: Figure 2.0

TO-126 Packaging Information		
Packaging Option	Standard (no flow code)	-
Packaging type	Rail/Tube	BULK
Qty per Tube/ Inner Box	60	250
Inner Box Dimension (mm)	570x150x48	237x167x96
Max qty per Box	1,920	2,000
Outer Box Dimension (mm)	590x330x245	525x360x265
Max qty per Box	11,520	20,000
Weight per unit (gm)	0.8197	0.8197
Note/Comments		



Inner Box Barcode Label Sample



Outer Box Barcode Label Sample



TO-126 Bulk Packing Configuration: Figure 3.0



TO-126 Tube Configuration: Figure 4.0

Note: All dimensions are in mm

