

客户名称:

CUSTOMER: ELEMON

客户部件号:

CUSTOMER PART NO: EE25 TRANSFORMER

规格:

DESCRIPTION: EE25 TRANSFORMER

部件号:

OUR PART NO: BKB25-034 VERSION B

制	成	审	核	认	可	
DRAWN BY		CHECKED BY		APPR	APPROVED	
				Е	BY	
W	K LI	XZ	Chen	LF W	ANG	

	ITEM	TRANSFORMER	SHEET_OF_
FERRICS TECHNOLOGY	SPEC.	EE25-034	1 /5
FERRICS TECHNOLOGI	NO.		1/5
	PART NO.	BKB25-034 VERSION A	





1. 认可标准:

SPECIFICATION FOR APPROVAL


2.外形尺寸:(单位:mm)

OUTLINE DIMENSION: (UNIT:mm)





side view



pot view

	ITEM	TRANSFORMER	SHEET
			OF
FERRICS TECHNOLOGY	SPEC.	EE25-034	2/5
TERRICS TECHNOLOGI	NO.		2/5
	PART NO.	BKB25-034 VERSION B	




3.电磁特性:

ELECTRICAL CHARACTERISTICS

3.1 电原理图:

SCHEMATIC:



3.2 绕制方法:

WINDING:

绕组	进出端口	漆线规格	绕制圈数	胶带	备注
WDG	TERMINAL	WIRE SIZE	TURNS	TAPE	REMARK
N1	C-D	2UEW 0.40	78	11.0 mm3Ts	
N2	A-B	2UEW 1.0	8	11.0 mm/3Ts	

备 注:

REMARK:

	ITEM	TRANSFORMER	SHEET_OF_
EEDDICC TECHNOLOGY	SPEC.	EE25-034	2/5
FERRICS TECHNOLOGY	NO.		3/5
	PART NO.	BKB25-034	
		VERSION B	



4. 技术参数 TECHNICAL PARAMETER

.

编号 NO.	测试项目 ITEM	测试端 TEST PIN	测试数据 TECHNICAL DATA	测试条件 TEST CONDITION
1	电感 Inductance	C-D	8.0MH MIN	1.0KHZ 0.3V SER
3	高压测试 High pot test	COIL -COIL COIL-CORE	AC 1000V 2mA 60S AC 1000V 2mA 60S	AC 50Hz & 60Hz
4	绝缘阻抗 Insulation Resistance	COIL -COIL COIL-CORE	>100M OHM	DC300V
5	DC RESISTANCE	C-D	500m OHM MAX	18.0±3

	ITEM	TRANSFORMER	SHEET_OF_
FERRICS TECHNOLOGY	SPEC.	EE25-034	4/5
TERRICS TECHNOLOGI	NO.		4/3
	PART NO.	BKB25-034 VERSION B	



6.外观质量:

OUTSIDE QUALITY:

6.1 外表,结构

SURFACE, STRUCTRURE

产品表面不允许有任何损伤。

ANY SURFACE DAMAGE ETC. ARE NOT PERMITTED.

外形及尺寸参考绘图。

APPEARANCE & DIMENSION ARE REFERED TO DRAWING.

产品表面无明显斑点。

THERE ARE NO OBVIOUS SPOT ON THE GROUND SUFACE

6.2 针脚必须垂直,与标准尺寸偏差不超过 0.3mm。

PINS MUST BE STRAIGHT, AND WITH ±0.3 OF NOMINAL.

7. 检验方法:

INSPECTION METHOD:

按 GB2828-87, 一次性正常抽样, 检查水平 级, AQL 符合下列标准:

ACCORDING TO $\,$ GB2828-87. ONE TIME NORMAL RANDOM SAMPLING , INSPECT

LEVEL , AQL.SHOULD BE AS FOLLOWS.

INSPCECT ITEM	AQL
ELECTROMAGNETIC PROPERTY	0.15
OUTSIDE SIZE	0.65
OUTSIDE QUALITY	0.65

包装

PACKING

8.1 内包装:泡沫塑料盒

INSIDE PACKING: FOAMED PLASTIC BOX

8.2 外包装:纸箱

OUTSIDE PACKING: PAPER BOX

8.3 每箱数量:

QUANTITY: ____ PCS

8.4 合格证:包括产品名称或型号、数量、批号、检验员)

QUALIFY CERTIFICATION:

INCLUDING ITEM PRODUCT NAME OR TYPE,

QUANTITY, LOT NO. AND INSPECTOR.

	ITEM	TRANSFORMER	SHEET_OF_
FERRICS TECHNOLOGY	SPEC.	EE25-034	5/5
FERRICS TECHNOLOGY	NO.		5/5
	PART NO.	BKB25-034 VERSION B	